
PS
THE PREVENTIVE MAINTENANCE MONTHLY
PUL-EEZE... GEN'L CUSTARD DON'T MAKE US LEAVE WITHOUT THE NEW PS INDEX
AMMO
INDEX
Issues 98-103
(Jan-Jun 1961)
WILL EISNER

PS THE PREVENTIVE MAINTENANCE MONTHLY

INDEX NO. 3
to
ISSUES 98 - 103
(January - June 1961)

An index to the preceding six issues of PS Magazine is published twice yearly by the Department of the Army for the information of organizational maintenance and supply personnel. Distribution is made through normal publication channels.

Within limits of availability, older issues may be obtained direct from PS Magazine, Raritan Arsenal, Metuchen, New Jersey.

PS Magazine wants your ideas and contributions, and is glad to answer your questions. Names and addresses are kept in confidence. Just write to:

Sgt Half-Mast,
PS Magazine,
Raritan Arsenal,
Metuchen, New Jersey.

DISTRIBUTION:

In accordance with requirements for PS Magazine submitted on DA Form 12-4. One copy of this index is distributed for every three copies of PS Magazine required.

INDEX

TO

PS, THE PREVENTIVE MAINTENANCE MONTHLY

ISSUES 98 to 103 INCLUSIVE

	PS	Page
A		
AERIAL TARGET-OQ 19 SERIES		
Mail goes to new place	101	9
AIR COMPRESSOR		
Davey RPC-15--Maintenance	101	46
Harris Model J210-FED		
Check oil gage	103	52
High pressure filter systems--PM services	100	52
Leroi-Westinghouse IBYCH-33, 5CFM		
Maintenance, 10 points to cover	99	12
Maintenance--Pneumatic Tools	102	58
AIRCRAFT, ARMY		
Fixed Wing		
L19		
Primer pump leaking--Check TWX	98	65
L20A (Beaver)		
Fuel transfer control lever--Turn OFF before refueling wing tip tanks	98	18
L-23 (Seminole)		
Prop change TWX--D, E & F models	99	28
TL-19D--Check student's panel before soloing	101	42
Rotary Wing		
H13 (Sioux)		
No sun shades	103	49
H19D (Chickasaw)		
Black-out curtains--FSN	100	19
H21 (Shawnee)		
Check clutch friction position before engine starts	100	24
Fire Detection System		
FSN's for thermocouple terminal stud sizes	101	43

	PS	Page
AIRCRAFT, ARMY (Cont'd)		
Rotary Wing		
H21 (Shawnee)		
Improper installation incident	103	48
H34A (Choctaw)		
Main rotor blade TWX	101	65
AIRCRAFT, ARMY, GENERAL		
Carburetor icing--Preflight check	98	22
Electronics		
Electronic Configurations--Code with SB 1-15-15	102	52
Fire Extinguishers		
Instructions for new		
Monobromotrifluoromethane (CF_3Br)	100	20
First aid kits--Use -6 with TB AVN 10	98	25
Forms		
DD Form 829-series--TB AVN 5, c5	98	21
Fueling--Always assume contamination	98	19
Headset--Don't loan to passengers	98	17
Helmet, APH-5--Be your own inspector	99	27
Improper installation incident on H-21	103	48
Maintenance--Poor supervision pitfalls	99	29
Modification kits--Return unused ones to supply	100	25
M10 smoke tank CNB handling	102	43
Plastic cleaning	101	44
Publications		
Air TM 55's include avionics operational and		
organizational maintenance	98	20
How to ask for general type TM's		
on DA Form 12-5	100	22
Safety		
Carbon Monoxide Detector Kit (See DETECTOR KIT)		
No bubble sunshades allowed	103	49
Remove exterior tape before flight	98	16
Safety Belts--Use -6 with TM 1-13A1-1-1	98	25
Time-change--Don't use extension needlessly	100	23
ANTI-FREEZE		
Ehtylene-Glycol vs Water	99	40
ANTI-SEIZE COMPOUND (SEE COMPOUND)		
ARTILLERY, FIELD		
Recoil Mechanism--Clean around filling and draining plug	103	6

B

BATH UNIT, PORTABLE M1958		
Some PM and Safety tips	103	57

	PS	Page
BATTERY (SEE ALSO ELECTRICAL SYSTEM)		
Caps--Overheating in 45KW KURZ & ROOT	98	45
Hydrogen gas--Danger	100	10
Handling	100	10
Safety tips	100	10
Signal		
BA-1318/U--Thick jackets	102	47
Disposal of mercury type	99	23
Terminal Lugs		
Ordnance supplies both	101	8
BRACKET		
Gas can strap	99	39
BRAKE		
Cylinders--Leaks	99	7

C

CAN, GAS		
Inspection and storage tips	100	45
Strap, holdown	99	39
CARBINE		
Gas piston nut not staked	101	65
Oiler cap can be up or down	99	2
Stock and Handguard--Many can be repaired	99	2
CARRIER, LIGHT WEAPONS M274		
Anchor Pin--Steering	102	21
Magneto--Impulse type	100	65
CARRIER, PERSONNEL, ARMORED, M59		
Auxiliary Shaft--Lubrication change	98	15
Cupola M13--Solenoid clamp not item of issue	100	39
Infra red periscope	100	9
CARRIER, PERSONNEL, ARMORED, M113		
Hull drain plugs	103	16
CARRIER, SELF-PROPELLED, MORTAR M84		
Auxiliary Shaft--Lubrication change	98	15
Cupola M13--Solenoid clamp not item of issue	100	39
CASES, BINOCULAR		
Adjust strap right way	100	7
CAUTION PLATES		
Install on cranes	102	62
CLEANER, STEAM		
Parts manual--Circo	103	65
CLEANING ROD, M10 (SEE ROD, CLEANING)		
CLOTHING		
Wear taupe 179 raincoat for dress only	99	65

	PS	Page
CNB		
Handling procedure	102	43
COMPASS, LENSATIC		
Closing--Proper procedure	99	15
COMPOUND, ANTI-SEIZE		
Used on fittings	100	39
COMPUTER, BALLISTIC, M13		
Linkages stay with computer	103	12
CORPORAL		
Missile--Don't try to shine	100	49
M2 Erector		
Plug holes before fording	102	45
Watch those slopes	101	11
Publications--SB 9-162 identifies items	102	65
CRANE, FEDERAL, 5-TON		
Weld hook nut for safety	102	63
CRANE-SHOVEL		
Add Handle to control levers	103	62
CRANE SHOVEL, QUICKWAY MODEL M200		
Clamp the boom cable	103	51
Tighten outrigger lock pin clips	102	56
Urgent Modification Work Order.	101	65

D

DECONTAMINATION		
Decon Unit		
M3A3--Grease agitator bearing assemblies	100	44
M3A3--Check hopper cover	100	41
DETECTOR KIT		
Carbon Monoxide--How to get	98	17
Chemical Agent--How to order crayon.	103	23

E

ELECTRICAL CONNECTORS		
How to insert Scintilla type	100	4
ELECTRICAL SYSTEM		
Troubleshooting		
Temperature, Fuel and Cluster Gages, Ammeter, Battery, Indicator, Switch, Circuit Breaker.	99	65
ELECTRONIC EQUIPMENT		
TC TM's include Signal Operation and PM instructions	98	20

	PS	Page
ELEVATOR, NIKE		
Door valves	98	43
Platform access plate	101	22
ENGINE, GASOLINE		
How to adjust carburetor	103	54
Injection test kit	100	64
Pre-lubrication	102	18
ENGINE, MILITARY STANDARD		
Model 2A016-1, 3HP--Check oil level	103	50
Reversing air duct capscrew	99	16
ENGINEER EQUIPMENT		
MFGR Warranty Dates--UER before expiration	98	41
Modifications	99	14

F

	PS	Page
FILTER, AIR		
Nike Hydraulic System	98	44
FIRE CONTROL EQUIPMENT		
M5A2 Plotting Board--Prevent warping	102	19
M65 BC telescope replaces M2 spotting instrument	101	5
FIRE EXTINGUISHERS		
Keep fully charged	101	16
Testing CO_2 Cylinders	101	37
FLAME THROWER, M2A1		
Refueling	103	22
FLAME THROWER TANK M7A1-6		
Rear Batteries--Use dipstick to check	99	6
Test Fire--Have 100 gals of fuel	101	28
FORMS, DA, DD, SF, ETC.		
DA Form 5-34--Do not use with unit equipment	102	56
DA Form 9-13 and 9-13-1		
Put in all the facts	101	2
DA Form 12-5		
Entry for general type TM's	100	22
DA Form 460		
Maintenance Scheduling	100	11
DA Form 461--Safety check	103	65
DA Form 468		
UER	102	1
DA Form 478		
Care and keeping	100	2
DA Form 1527-R		
Keep reports for local purposes	101	9
DD Form 110		
Bridge Truck--OVE not part of load	98	38

	PS	Page
FORMS, DA, DD, SF, ETC. (Cont'd)		
Standard Form (SF) 91		
Stays in vehicle or goes in accident files	100	38
FUEL		
Diesel--Must be clean	102	2

G

GAGE, BATTERY-GENERATOR INDICATOR		
Readings	102	15
GENERATOR, GASOLINE		
Homelite Model 15AD120-16--Maintenance tips	102	54
GENERATOR, HOL-GAR CE 600		
Fuel injector pump	100	65
Lubing tachometer drive	98	42
GENERATOR, 5KW		
Jeta MG-536, Hol-Gar CE-55-AC/WK6		
Identical except for housing	103	51
GENERATOR, 10KW		
Jeta MG-1018, Reiner GG-C-10-AC-2		
Use same TM 5-6115-204 series	103	51
GENERATOR, 45KW, KURZ & ROOT, ALEX 1		
Battery caps overheat	98	45
Let go starter handle	103	53
GENERATOR, STEWART-STEVENSON, 45KW		
Temperature Bulb--Relocate in battery box	98	43
GENERATOR, SZEKELY		
Fuel injector pump	100	65
GRADER		
Cat 12, Generator Regulator--Gap setting	101	41
GUIDED MISSILES		
Schematics--See if changed by MWO	102	44
GUN, 40-MM		
Silica Gel can be reused	101	64
GUN, 90MM		
Don't test fire	100	40
Huber-Warco Model 4D		
Lube circle	103	56
GUN, MACHINE, 7.62-MM, M60		
Ammo Belt--Feeds certain way	98	5
Bolt--Pull back before closing the cover	98	4
Buffer Group--Don't take apart	98	3
Grip Points--Wipe clean and dry	98	2
Headspacing--You don't do it	98	3
Operation--See training film TF9-2971	98	5

	PS	Page
GUN, MACHINE, 7.62-MM, M60 (Cont'd)		
Safety--Gun won't cock when on	98	5
Trigger--Right use saves trigger wear	98	2
GUN, M2 AND M2A1, 155-MM		
Firing Mechanism--Use setscrew.	102	19
GUN, SELF-PROPELLED, 90MM, M56, (SCORPION) (SPAT)		
Counterweight dosen't tighten	102	38
Locking the traverse	101	10
Track removal and adjustments	102	6
Traversing System--Water in	99	10
GUN, SELF-PROPELLED, 155MM, M53		
Brake release control	103	11
Recoil Cylinders--Check for loose nuts	99	65
GUN, TANK, 90-MM, M47		
Tension Idlers--Removing	99	40

H

HAND TOOLS		
TM 5-461 for information	102	65
HANDSET		
Cradle for nike cabinet	103	19
HARDWARE		
Identifying small items	100	63
HAWK		
Call support when starting level is balky	103	21
Loader		
Make sure missiles are released	103	19
Missile--Don't try to shine	100	49
Trailer, Pallet--Keep from tipping	103	20
HELMET, APH-5, FLYING		
Be Your Own Inspector	99	27
HONEST JOHN		
Generator M25--Needs exercising	101	5
Don't dent rocket skin surface.	101	5
Get right thermometer.	101	4
M405 Handling Unit Reservoir--Drain water	101	4
Need gage for M31 series rocket	101	4
Rocket		
Remove straps before firing	102	45
Torque all components	102	44
Rocket Launcher M289--TB tells about rail alinement.	102	39
Rocket Launcher M386--TB tells about rail alinement	102	39
HOWITZER, 8-INCH SELF-PROPELLED, M55		
Brake release control	103	11

	PS	Page
HOWITZER, 105-MM, SELF-PROPELLED, M52		
Gate valve assemblies--Install right way	103	9
HOWITZER, M1 AND M1A1, 155-MM		
Firing Mechanism--Use setscrew	102	19
HOWITZER, M2 AND M2A1, 8-INCH		
Firing Mechanism -- Use setscrew	102	19
Recoil Cylinders--Check for loose nuts	99	65
HYDROMETER, ANTI-FREEZE		
How to use	98	60

I

INSPECTION		
Be Your Own Inspector		
Can, gas	100	45
Helmet, Flying, APH-5	99	27
M1 Rifle	98	6
Radio Set AN/GRC-19	99	18
Radio Set AN/GRC-46	101	54
Radio Set AN/TRC-24	98	50
Safety belt and strap	98	26
Searchlight, Tank-Mounted	101	49
Shelter, S-56A/G	103	25
Chemical Corps Equipment--Rating	99	38
Spot check	102	65

K

KIT, GAS PILOT CONTROL		
For all gas fired mess equipment	102	64

L

LACROSSE		
Missile		
Don't try to shine	100	49
Empty all electrolyte	98	65
LAUNCHER, 4.5 IN		
Steer clear of steel wool	101	65
LAUNCHER, ROCKET 3.5 INCH		
Steer clear of steel wool	101	65

	PS	Page
LIGHTS		
Trailer	99	17
LUBRICATION		
Engine--Pre-lubrication	102	18
Generator		
Tachometer Drive--Hol-Gar CE-600	98	42

M

MACHINE GUN, M60		
Bipod--Handle with care	99	65
MAINTENANCE		
General	98	1
Operation Taper	103	1
Publications, TM 9-2810, change 1	98	65
The decline and fall of the spit 'n' polish soldier	103	29
Use tags in daily checks	99	62
MAST ASSEMBLY		
AB-15/GR--Don't paint rubber section	102	47
MATERIALS HANDLING EQUIPMENT		
Planeloader, Clark		
Easier way to change fan belt	103	11
MESS EQUIPMENT		
MWO for Blickman Coffee Urns	102	65
Safety shutoff pilot kit	102	64
MINE DETECTOR		
New Manual	100	65
MISSILE		
Keep track of bad parts	103	20
MORTAR, M30, 4.2		
Hold down in truck	100	13

N

NIKE AJAX		
Elevator--Platform access plate	101	22
Missile		
Adjust propulsion arming lanyard right way	103	18
Squib Tester--Don't remove couplers	100	48
Tools--Buy key sets locally	101	39
NIKE, GENERAL (AJAX AND HERCULES)		
Acquisition Antenna		
Lube connector link assembly annually	99	43
Cables--Have connectors face right way	99	44
Elevator Doors	98	43

	PS	Page
NIKE, GENERAL (AJAX AND HERCULES) (Cont'd)		
Filters, Air Conditioning		
TM's have cleaning info.	99	65
Magnetrons--Fill out information sheet	100	50
Missile--Don't try to shine	100	49
RF Test Set--New stock number for transformer	99	44
Tools--Get some by local purchase	99	45
Van. BC--Rotate zero set switches	100	64
Van, RC--Check for loose power supply harness	99	42
NIKE HERCULES		
Booster Cluster		
Winterization kit parts available	100	65
Computer, Recorder Group--Right way to make checks	100	49
DA Form 9 series check sheets--Fill out right	101	21
M442 Rocket Motor Truck--Check towbar for cracks	101	65
Painting--Don't paint around lube fittings	100	65
Rocket Motor--Don't fool with certain parts	103	21
Track Radars		
Cure trigger amplifier troubles	98	64
Filters to identify	103	63
Guarantee on ML-6544 Modulator	98	58
Keep filters clean	98	63
Put wax on radome zipper	101	9
Put zipper on leveling jack boots	103	63
Use right check sheets	99	45
Use right hard tube modulator	102	65
Use soap and water on radome	101	38
Van, BC		
Small burn spots won't hurt	99	43
TM lists ceiling lamp	99	44
XM1E1 Body Section Truck		
Plastic replaces rubber rollers	101	20

O

OIL		
Pressure Control Valve--How to assemble	98	13
OUTBOARD MOTORS		
Maintenance	99	37

P

PAINT		
M43 Ambulance	99	8
Zinc chromate--How to thin	100	41

	PS	Page
PARTS, REPLACEMENT		
Fittings and specialties FSC 4730	103	39
PAVING FINISHING MACHINE		
Crank--Don't store on panel	99	15
PISTOL, 45 CAL		
Assemble innards right way	101	64
POWER SUPPLY		
PU-26A/U--Support cross member	102	50
PROTECTIVE MASK		
Carrier--Do not use recoloring compound	103	38
Inspection--Easy does it	102	42
M21 Gas Mask--New rocket propellant mask	101	20
Nosecup Valve Disks--Blow to loosen.	99	5
Outlet-valve cover--Don't lose.	101	26
Remove spots with eraser	99	4
PUBLICATIONS		
Cleaning, Preserving, Abrading and Cementing	103	65
New	98	48
	99	26
	100	26
	101	23
	102	28
	103	13
Special Weapons --Get rid of right way	101	22

R

RADAR SET		
AN/MPQ-4A--Set stowlock properly	100	28
RADIAC		
Turn in PP-1578	98	59
RADIATOR		
Cap, pressure type	102	13
RADIOACTIVE TEST SAMPLES		
See MWO's	103	24
RADIO OPERATORS (See TRUCK 1/4-TON, M28A1--Tailpipe extension)		
RADIO SETS		
AN/GRC-3, 8--Care of dumbells.	99	23
AN/GRC-19		
Be Your Own Inspector.	99	18
Caution on fuses.	98	65
Switch to standby	101	61
AN/GRC-46--Be Your Own Inspector	101	54
AN/TRC-24--Be Your Own Inspector	98	50
AN/TRC-47--On-the-spot testing	101	47
Keeping contact	101	59

	PS	Page
RADIO SETS (Cont'd)		
MT-297/GR		
Plug for	99	25
Radio mounts--Steel or aluminum	101	41
RT-66/GRC		
Dial bulb loose	100	27
Set pre-selector stops	100	27
REGULATOR		
Cat 12, generator regulator--Gap setting	101	41
REGULATOR, VOLTAGE		
Rust damage	103	40
RIFLE		
Stocks and Handguards--Many can be repaired	99	2
RIFLE, BROWNING AUTOMATIC		
Lock Washer--Don't lose	101	6
RIFLE, M1, CAL 30		
Arm Racks--MWO modifies racks	97	2
Be Your Own Inspector	98	6
Gas Cylinder Lock Screw--Make gadget to help clean	100	63
Maintenance--1st Echelon	98	29
M10 Cleaning Rod--Use it right	99	3
RIFLE, RECOILLESS, M40A1, M40A1C, 106MM		
Instrument Light M42		
Clip and stop not needed on mounting bracket	102	20
RIFLE, RECOILLESS, 106-MM		
Spacer in mount may need washer	103	7
Spotting Rifle--Special Tool	99	39
RIFLE, 7.62-MM, M14		
Magazine--Held by two locks	98	8
Selector Lug--Letter "A" position shows rate of fire	98	8
ROCK CRUSHER		
Clean troughing rollers	103	52
ROD, CLEANING M10		
Use it right	99	3

S

SAFETY		
Battery--Explosive gas	100	10
Belt and Strap (See INSPECTION)		
Clark scoop loader operation	99	17
Tailpipe extension	101	63
Tire Mounting--Inflation cage	99	64
Tractor--Adjusting track tension	98	46

	PS	Page
SAW, PORTABLE, RECIPROCATING		
How to maintain	102	57
SCRAPER		
Curtis-Wright Model CWT-18M		
Keep tools in right hand compartment	98	42
SEARCHLIGHT SET		
Tank mounted	101	49
SERVICE UNIT, M4		
Drain air out of oil lines	100	43
Thickener--Use only clean	101	27
SHELTER, S-56A/G		
Be Your Own Inspector	103	25
SICK SACK		
For ill aircraft passengers	101	44
SLAVING		
Receptcle, vehicular	99	39
SMALL ARMS		
Clean only once after firing	103	7
Right FSN's for reinforcing screws	103	65
SMOKE GENERATOR M3A3		
Drill holes in end of hose	100	42
Fog Oil Hose Nozzle--Use chair leg tip over end	99	4
Magneto Air Pump Handle--Don't lean on	99	5
Turn L-nipple that connects hose to pump	100	42
SMOKE TANK M10 (See CNB)		
SPARK PLUG		
Hot or cold?	102	37
SPOOL, DR-8A		
Sharp edges hurt	102	48
STORAGE		
Wheeled, tracked vehicles	98	65
SUPPLY		
Blue Streak Requisition		
Don't abuse	103	2
Pick up item fast	101	8
Plumbing fittings and specialties	103	39
Turn in unused modification kits	100	25
SWITCHBOARD		
Reverse batteries on SB-22/PT	99	22

T

TANK, GENERAL		
Broken track pins	102	40
Cleaning air cleaners	101	12
Engine--Preventing rust	102	21

	PS	Page
TANK, GENERAL (Cont'd)		
Searchlight cover	100	62
M48A2C tank	102	40
Searchlight maintenance	101	49
Tach cable kinks	102	20
Use steering tapes	101	62
TELEPHONE		
Keep crank handles flush	99	25
Lineman's Climber Equipment	99	24
TELLUROMETER		
Safety warning	103	53
TENTS		
General maintenance and storage	101	29
TIRES		
Inflation Rack--Safety item	99	64
TOOLS		
Sets-Kits		
2d Echelon No. 2 Common	99	46
2d Echelon No. 2 Supplemental	98	9
SM Numbers	101	24
Wrench, Crowfoot--Ignition harness	99	65
Wrench, Adjustable--Use right way	100	6
TOWERS, AB-216/U		
Keeping out and draining water	102	46
TOWING		
Disconnect prop shafts	99	8
TRACK TENSION		
Adjusting, Tractor, Crawler	98	46
TRACKED VEHICLES		
Operate to keep fit	101	40
Tank, Combat, General		
Bulldozers--Getting right one	98	40
Gun Shield Cover--Rip preventer	99	63
Road wheel wear	99	41
Tank, 90-mm Gun, M47		
Track Tension Idler--Remove	99	40
Tank, 90-mm Gun, M48A1		
Air intake hose	101	7
Gross weight	100	9
Tank, 90-mm Gun, M48A2		
Inspection of snubbers	101	15
Power pack removal	99	9
Transmission tips	102	24
TRACTOR CRAWLER		
Cat D7--Engine replacement	103	50
Cat D8, Radiator guard--Right parts	102	62

	PS	Page
TRACTOR, CRAWLER, IHC TD-18		
Auxiliary Fuel Filter--Installing element	99	14
MWO 5-2410-203-35/1	102	65
TRAILER		
Adapter--Intervehicular receptacle	102	16
Lights--Replacement	99	17
M15A2 Trailer OVM	102	39
TRAILER, SEMI, M172		
Ramps--Loading	102	39
TRAILER, VAN, G789		
Air Heaters		
See change to MWO 9-2330-212-20/2	98	64
TRUCK, CRANE 2 1/2-TON, M108		
On-Vehicle-Equipment	100	65
Seal--Boom lift cylinder	100	38
TRUCK, DUMP		
Results of improper use	99	64
TRUCK, GASOLINE, M131A2		
How to ground	101	39
TRUCK, GENERAL		
Air brake chambers	103	8
Engine--Preventing rust	102	21
M34 and M35 2-1/2 Ton		
Removing master cylinder	102	41
Operation--Backup precautions	103	65
TRUCK, TANK, 2-1/2 TON M49		
Gaskets--Manhole cover	102	12
TRUCK, 1/4-TON, M38		
Oil level--Transfers and transmissions	103	10
Switch, starter--Check for short	103	64
Winch--Safe tie	100	8
TRUCK, 1/4-TON, M38A1		
Belt, fan--Alternator set	102	38
Oil level--Transfers and transmissions	103	10
Radiator cap, pressure	102	13
Switch, starter--Check for short	103	64
Tailpipe extension	101	63
Throttle--wire rusted	99	9
Winch--Safe tie	100	8
TRUCK, 2-1/2 TON, M185		
Lubrication--Input shaft needs oil	98	15
TRUCK, 3/4-TON G741 SERIES		
Ambulance M43--AR change on paint	99	8
Radiator cap, pressure	102	13
Winch--Safe tie	100	8

	PS	Page
TRUCK, 2 1/2-TON REO G742 SERIES		
Bracket, rear exhaust--Remove	100	7
Distributor voltage	98	38
Frame Tightening	98	37
Insulators--Transfer mounting	103	37
M35--Tire chains, how to adjust	98	39
M49 and M49C--Static ground cable	98	14
Radiator cap, pressure	102	13
Winch--Safe tie	100	8
TRUCK, 2 1/2 TON, G749 SERIES		
Automatic transmission warning	101	18
Radiator cap, pressure	102	13
Winch--Safe tie	100	8
TRUCK, 5-TON, M51		
Braces, safety--Use when parked	103	38
TRUCK, 5-TON, G744 SERIES		
Distributor voltage	98	38
Light, blackout and service taillight--Authorized	103	41
Plug, steering gear--Vented	100	37
Radiator cap, pressure	102	13
Winch--Safe tie	100	8
TRUCK, 10-TON, GENERAL		
Radiator cap, pressure	102	13
Winch--Safe tie	100	8
TRUCK, 10-TON, M125		
Chain hoist and blocks	99	38
TRUCK, TRACTOR, WRECKER, M246		
Ordering mud flaps	100	40
Seal--Boom lift cylinder	100	38
TRUCK, WRECKER, 5-TON M62		
Lubrication--Don't forget drive pinion fitting	98	14
On-Vehicle-Equipment	100	65
Outriggers--Keep truck from tipping	101	11
Seal--Boom lift cylinder	100	38

U

UNSATISFACTORY EQUIPMENT REPORT
(See FORMS, DA, DD, ETC, DA Form 468)

V

VALVE		
Globe--Install right way	101	45

☆ U.S. GOVERNMENT PRINTING OFFICE: 1961 O - 598694

	PS	Page
V-BELTS		
Stocking matched sets	102	22
VEHICLE, COMMERCIAL		
Bearing--Pre-lubrication	102	51
Truck		
M424 Stake and Platform		
Canvas and Bows	101	10
VEHICLES, GENERAL		
Keeping fit	101	40
What to do with Standard Form (SF) 91	100	38
VOLTAGE REGULATORS		
Rust damage	103	40
VEHICLE, TANK RECOVERY, M51		
Valves leaking	103	8

W

WATERCRAFT		
Handling and training	101	45
Practice dockside maneuvers offshore	101	45
Trick in replacing globe valve	101	45
WELDING		
New MIG welding set	103	41
WHEELED VEHICLE, GENERAL		
Operate to keep fit	101	40
WINCH		
Safe tie for travel	100	8
WIRE EQUIPMENT		
Check MX-306 continuity	99	24
Maintaining reels	101	61
RL-159/U--Racking the reels	101	60

WHY GUESS?
WHEN YOU CAN
KNOW
USE YOUR TECH MANUAL
If you don't have one for your equipment, get the manual's number from the Index, DA Pamphlet 310-4...
And order it on DA Form 17 from your Publications Section.